## DEPARTMENT OF HEALTH AND HUMAN SERVICES CENTERS FOR MEDICARE & MEDICAID SERVICES

PRINTED: 03/13/2012 FORM APPROVED OMB NO. 0938-0391

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION		(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER:	1` ′	(X2) MULTIPLE CONSTRUCTION  A. BUILDING		(X3) DATE SURVEY COMPLETED	
				3. WING			C 03/08/2012
NAME OF PROVIDER OR SUPPLIER  DSI CENTRAL FT WAYNE RENAL CENTER				STREET ADDRESS, CITY, STATE, ZIP CODE  1940 BLUFTON RD  FORT WAYNE, IN 46809			
(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)		I	ID PROVIDER'S PLAN OF COR PREFIX (EACH CORRECTIVE ACTION S TAG CROSS-REFERENCED TO THE A DEFICIENCY)		SHOULD BE COMPLETION	
V 000	000 INITIAL COMMENTS		V 000				
	The was an ESRD fe inivestigation.	ederal complaint					
	Complaint IN00104067 - Unsubstantiated: Lack of sufficient evidence.  Date of survey: 3/8/2012						
	Facility #: 003241						
	Medicaid #: 200827190A  Surveyor: Susan E. Sparks, PHNS  DSI Central Fort Wayne Renal Center is in compliance with 42 CFC 494.70 Patients' Rights, 494.90 Patient Plan of Care, and 494.100 Care at Home as it relates to this complaint.						
		e Elder, MSN, BSN, RN 13, 2012					
LABORATORY	DIRECTOR'S OR PROVIDER/S	SUPPLIER REPRESENTATIVE'S SIGNATURE			TITLE		(X6) DATE

Any deficiency statement ending with an asterisk (\*) denotes a deficiency which the institution may be excused from correcting providing it is determined that other safeguards provide sufficient protection to the patients. (See instructions.) Except for nursing homes, the findings stated above are disclosable 90 days following the date of survey whether or not a plan of correction is provided. For nursing homes, the above findings and plans of correction are disclosable 14 days following the date these documents are made available to the facility. If deficiencies are cited, an approved plan of correction is requisite to continued program participation.